



REGENCY SILVER

**Pioneering a new high grade
Au-Ag-Cu porphyry district in
Sonora, Mexico**

INVESTOR PRESENTATION

TSXV: RSMX

FRANKFURT: ZJ90

OTCQB: RSMXF

www.Regency-Silver.com

May 2026

Disclaimer - IMPORTANT: YOU MUST READ THE FOLLOWING BEFORE CONTINUING

Forward Looking Statements - Regency Silver Corp.

- This presentation contains “forward-looking statements”. Forward-looking statements reflect Regency Silver Corp.’s (the “Company” or “Regency Silver”) current views with respect to future events, are based on information currently available to the Issuer and are subject to certain risks, uncertainties, and assumptions, including those discussed above. Forward-looking statements include, but are not limited to, statements with respect to the success of mining exploration work, title disputes or claims, environmental risks, unanticipated reclamation expenses, the use of proceeds, the estimation of mineral reserves and resources and capital expenditures. In certain cases, forward-looking statements can be identified by the use of words such as “intends”, “plans”, “expects” or “does not expect”, “is expected”, “budget”, “scheduled”, “estimates”, “forecasts”, “anticipates” or “does not anticipate”, or “believes”, or variations of such words and phrases or state that certain actions, events or results “may”, “could”, “would”, “might” or “will be taken”, “occur” or “be achieved”. Forward looking statements involve known and unknown risks, uncertainties and other factors which may cause the actual results, performance or achievements expressed or implied by the forward- looking statements.
- Regency Silver has received a Technical Report entitled “Geological Report and Resource Estimate, Dios Padre Property Municipality of Yecora, Sonora State, Mexico”, dated March 02, 2023 prepared on the Dios Padre Project by Gordon Gibson, B. Sc., P. Geo. in accordance with National Instrument 43-101 – *Standards of Disclosure for Mineral Projects* (“NI 43-101”). Mr.Gibson is an independent Qualified Person pursuant to NI 43-101. The Technical Report contains a resource estimate which estimates an inferred resource of **11.375 million ounces** of silver equivalent represented by 1.384 million tonnes at **255.64 g/t silver equivalent**. The resource estimate on the Dios Padre Property includes inferred mineral resources. An ‘**Inferred Mineral Resource**’ is that part of a Mineral Resource for which quantity and grade or quality are estimated on the basis of limited geological evidence and sampling. Geological evidence is sufficient to imply but not verify geological and grade or quality continuity. An Inferred Mineral Resource has a lower level of confidence than that applying to an Indicated Mineral Resource and must not be converted to a Mineral Reserve. The formula for silver equivalent used is: $AgEq (g/t) = (Ag(g/t)*Ag price*Ag recovery) + ([Au (g/t)*Au price*Au recovery]) / (Ag price*Ag recovery)$ based on a silver price of US\$17.00/oz and a gold price of price of US\$1479/oz, current as at 2019, July 10, and assumed metallurgical recoveries of 92% Ag and 91% Au.
- The Qualified Person under National Instrument 43-101 *Standards of Disclosure for Mineral Projects* for the Dios Padre section of this presentation is Gordon Gibson, P.Geo, who has reviewed and approved its contents. The Qualified Person for the rest of the presentation is Company director Michael Tucker, P.Geo, who is recognized as a Qualified Person under the guidelines of National Instrument 43-101. Mr. Tucker is a director of the Company and for that reason is not considered independent. Mr. Tucker has read and approved the technical contents of this news release.
- The technical information contained in this presentation regarding the Dios Padre property has been summarized from the Technical Report.

Disclaimer - IMPORTANT: YOU MUST READ THE FOLLOWING BEFORE CONTINUING

Information Concerning Estimates of Mineral Resources

The scientific and technical information in this presentation was prepared in accordance with NI 43-101 which differs significantly from the requirements of the U.S. Securities and Exchange Commission (the "SEC"). The terms "measured mineral resource", "indicated mineral resource" and "inferred mineral resource" used herein are in reference to the mining terms defined in the Canadian Institute of Mining, Metallurgy and Petroleum Standards (the "CIM Definition Standards"), which definitions have been adopted by NI 43-101. Accordingly, information contained herein providing descriptions of our mineral deposits in accordance with NI 43-101 may not be comparable to similar information made public by other U.S. companies subject to the United States federal securities laws and the rules and regulations thereunder.

You are cautioned not to assume that any part or all of mineral resources will ever be converted into reserves. Pursuant to CIM Definition Standards, "inferred mineral resources" are that part of a mineral resource for which quantity and grade or quality are estimated on the basis of limited geological evidence and sampling. Such geological evidence is sufficient to imply but not verify geological and grade or quality continuity. An inferred mineral resource has a lower level of confidence than that applying to an indicated mineral resource and must not be converted to a mineral reserve. However, it is reasonably expected that the majority of inferred mineral resources could be upgraded to indicated mineral resources with continued exploration. Under Canadian rules, estimates of inferred mineral resources may not form the basis of feasibility or pre-feasibility studies, except in rare cases. Investors are cautioned not to assume that all or any part of an inferred mineral resource is economically or legally mineable. Disclosure of "contained ounces" in a resource is permitted disclosure under Canadian regulations; however, the SEC normally only permits issuers to report mineralization that does not constitute "reserves" by SEC standards as in place tonnage and grade without reference to unit measures.

Canadian standards, including the CIM Definition Standards and NI 43-101, differ significantly from standards in the SEC Industry Guide 7. Effective February 25, 2019, the SEC adopted new mining disclosure rules under subpart 1300 of Regulation S-K of the United States Securities Act of 1933, as amended (the "SEC Modernization Rules"), with compliance required for the first fiscal year beginning on or after January 1, 2021. The SEC Modernization Rules replace the historical property disclosure requirements included in SEC Industry Guide 7. As a result of the adoption of the SEC Modernization Rules, the SEC now recognizes estimates of "measured mineral resources", "indicated mineral resources" and "inferred mineral resources". Information regarding mineral resources contained or referenced herein may not be comparable to similar information made public by companies that report according to U.S. standards. While the SEC Modernization Rules are purported to be "substantially similar" to the CIM Definition Standards, readers are cautioned that there are differences between the SEC Modernization Rules and the CIM Definitions Standards. Accordingly, there is no assurance any mineral resources that the Company may report as "measured mineral resources", "indicated mineral resources" and "inferred mineral resources" under NI 43-101 would be the same had the Company prepared the resource estimates under the standards adopted under the SEC Modernization Rules.

Board of Directors and Management



Bruce Bragagnolo
Founder, CEO & Director

Mr. Bragagnolo is the co founder and former Chief Executive Officer of Timmins Gold Corp. and Silvermex Resources Inc. He led Timmins Gold from a \$7 million IPO to a \$475 million market capitalization, and guided Silvermex to its \$175 million sale. He brings over 20 years of experience operating in Mexico and mining development.



Michael Tucker, P. Geo
Head Geologist & Director

Mr. Tucker is the CEO of Perseverance Metals Inc., a TSXV listed nickel explorer trading under the symbol PMI. He is the former VP Exploration at Karus Gold Corp. and former Exploration Manager at Balmoral Resources Ltd., and serves as the Company Qualified Person under NI 43 101.



Rajinder Chowdhry
Independent Director

Mr. Chowdhry is the Founder, Chairman, and CEO of Futura Capital Limited, a private venture capital firm that has invested in and raised funds for a range of projects. He is also the Founder, Chairman, and CEO of several casino gaming, internet, and other private and public companies.



Frank Cordova
Director & President of Mexican Operations

Mr. Cordova has over 22 years of experience in the Mexican government, serving as Secretary of Security and Secretary of Tourism for the state of Sinaloa. He has been a director of several private and public companies, including Timmins Gold. Frank received his doctorate in law from Arizona State University in 1992.




Alejandro Sucre
Independent Director

Mr. Sucre is the founder and general partner of the Venezuela Oil, Gas and Mining Fund, a private equity fund that invests in oil, gas and mining in Venezuela. Mr. Sucre is the founder and Chairman of Inversiones Crecepymes C.A., a company listed on the Caracas Stock Exchange. Mr. Sucre has extensive experience in fundraising and investor outreach. Mr. Sucre has an MA in Economics from the University of Chicago.


Management has a Proven Track Record In Mexico

- Chief Executive Officer Bruce Bragagnolo has a history of providing shareholder value in Mexico.
- He is the co-founder and past Chief Executive Officer of both Timmins Gold Corp. and Silvermex Resources Ltd.
- Mr. Bragagnolo took Timmins Gold through its IPO in 2006, to commercial production in 2010 and its NYSE-MKT listing in 2011. While he was CEO, Timmins Gold built the San Francisco Mine in Sonora, Mexico on time and on budget.
- He took Timmins Gold from an IPO market cap of C\$7 million to a market cap of US\$475 million in 2012. Production peaked at 121,573 ounces of gold in 2014. He raised over \$75 million in equity and \$18 million in debt for Timmins Gold.
- Mr. Bragagnolo took Silvermex Resources through its IPO in 2006 and the purchase of its initial assets in Mexico. Mr. Bragagnolo took the market cap of Silvermex from an IPO market cap of C\$7 million to its sale to First Majestic for C\$175 million.
- Mr. Bragagnolo was a director of Continuum Resources Ltd. when it acquired the San Jose Mine in Oaxaca, Mexico. Continuum Resources Ltd. merged with Fortuna Silver in 2004 and the San Jose Mine was its flagship asset with 2022 production of 5.76 million ounces of silver and 34,000 ounces of gold. (Source: Fortuna Silver website)
- Mr. Bragagnolo has extensive knowledge of Mexico through his business dealings in the country over the last 20 years.



The Laramide porphyry district

- District stretches from Arizona through to Sinaloa
- Massive porphyry Cu-Au systems include Resolution (Rio, BHP), Buenavista (Grupo Mexico), La Caridad (Grupo Mexico), and Orisyvo (Fresnillo)
- Fertile district historically underexplored for Cu-Au systems in eastern Sonora.



Dios Padre is in a good location

IN GOOD COMPANY NEAR LARGE PRODUCING ASSETS

- “The best place to find a new mine is near an old one”

- **Pan American Silver’s Dolores open-pit mine (80 km away)** commenced operation in 2009. 2022 production was 2.24 million ounces of silver and 136 Koz of gold. 2022 proven and probable reserves were 21 Mt containing 11 million ounces of silver at 19 g/t and 318 Koz of gold at 0.58g/t. (Source: www.panamericansilver.com)
- **Alamos Gold’s Mulatos (40km)** open-pit and underground gold mining operation has produced more than 2.3 million ounces of gold. 2022 production was 135 Koz ounces of gold. (Source: www.alamosgold.com)
- **Agnico Eagle La India open-pit mine (45 km)** with 2022 production of 75 Koz gold and 429 Koz of silver. (Source: www.agnicoeagle.com)
- **Agnico Eagle Pinos Altos open-pit and underground mine (75 km)** with 2022 production of 99.5 Koz gold and 1 million ounces of silver. (Source: www.agnicoeagle.com)
- Regency Silver does not have an interest in any of the projects owned by Pan American, Alamos Gold or Agnico Eagle noted above



Dios Padre Overview


- The past producing Dios Padre project is located in the State of Sonora, Mexico about mid-way between Hermosillo, Sonora, and Chihuahua City, Chihuahua. Dios Padre has a 400 year history of mining for silver.
- Regency Silver has received a NI 43-101 resource estimate with an effective date of March 2, 2023 which estimates an inferred resource of **11.375 million ounces** of silver equivalent represented by 1.384 million tonnes at **255.64 g/t silver equivalent**.
- A total of 11,481 meters of drilling in 74 drill holes comprise the data set for modeling and mineral estimation.
- Outside of the resource area, Hole REG-22-01 intersected **35.8 metres of 6.84 g/t gold, 0.88% copper and 21.82 g/t silver**. Hole REG 23-21 intersected **38m of 7.36 g/t gold**, Hole REG-23-14 intersected **29.4m of 6.32 g/t Au** and REG-23-15, intersected **32.5m of 2.23 g/t Au**. Drilling is ongoing.
- Excellent access to infrastructure including a major highway, small plane access, power and skilled labor.
- Management has been working in the area for the last 20 years.



Dios Padre Au Discovery - Top drill results


- Down-dip extension from historic Ag-Pb-Zn Mine
- 14 of 18 holes intersect mineralized breccia body
- 4 of 12 holes deliver >100 g*m intersections with REG-23-21 returning **291.83** g*m
- Zone open in all directions and appears to trend shallower to the east.
- 2025 drilling extended the silver zone 125m below the historic Dios Padre silver mine.
- Assays from ongoing drilling are pending.

Hole	From	To	Length	Au	Gram*m
REG-23-21	482.6	537.25	54.65	5.34	291.831
Including	494.7	532.65	38	7.36	
REG-22-01	416.5	470.3	53.8	4.7	252.86
Including	434.5	470.3	35.8	6.84	
REG-23-14	454.4	490.3	35.9	5.51	197.809
REG-23-16	407.9	536.25	128.35	0.84	107.814




Expansion drilling

The drill programs have significantly increased knowledge of the mineralization and its orientation. In addition to the deeper drilling, holes drilled to expand the mineralization at the historic Dios Padre mine intersected significant silver and gold mineralization. The presence of breccia in the gold and silver zones at the historic silver mine indicate the extension of the breccia zone up dip from depth. The 2025 and 2026 drill programs have proven this thesis and extended the mineralization both up and down dip




Plan map showing hole locations, section locations, traces as well as the projection of the mineralized breccia to surface.



Long section for all holes in Au breccia zone. Contours are based on the grade x thickness values for the drill hole composites.

Dios Padre Porphyry with Breccia Model


The model indicates the potential to be in the breccia phase of mineralization with the porphyry source below.



Brecciation in Hole REG 22-01

Collapse Breccia with quartz, pyrite, chalcopryite and chalcocite infill. Contains **7.22 g/t gold, 212 g/t silver and 3.74% copper**

Hole REG-22-01 4.7 g/t gold, 0.67% copper and 23 g/t silver over 53.8 metres including 36 metres of 6.84 g/t gold, 0.88% copper and 21.8 g/t silver.



Hole REG-23-14 at ~460m depth down hole within an intersection of **29.4m of 6.32 g/t Au** of pyrite-chalcopyrite-specularite supported breccia from ~454–484m.



Hole REG-23-21 at 503m depth down hole within an intersection of **54.65m of 5.34 g/t gold** including 38m of 7.36 g/t in a 65 m step-out along strike to the southeast from discovery hole REG-22-01.



Hole REG-25-25 at 612m depth down hole (~412m from the valley floor) intersects **9m of 5.34 g/t gold** in a sulphide-specularite supported breccia similar in nature to the breccia hosting Au-Cu-Ag mineralization in REG-22-01, REG 23-21 and REG 23-14. The intersection is ~35m up dip and along strike to the Southeast from drill hole REG 23-21.



Hole REG-25-26 intersected three distinct zones of silver mineralization. The first zone intersects **9m of 158.15 g/t silver, 0.68 % copper, and 0.39 % antimony**. The second interval of 10.5m, contains a core of **134.8 g/t silver over 4.5 m, with 0.37 g/t gold, 0.57 % copper and 0.23% antimony** over the full 10.5m. The third zone intersects **18m of 68.8 g/t silver, 0.28 % copper, 0.17 % antimony with 15m of 0.34 g/t gold including a 4.5m core of 192.33 g/t Ag, 0.76% copper, 0.49% antimony with 3m of 1.0 g/t gold**.



Hole 25-26 at 391 m



Hole 25-26 at 522m

Holes REG-26-27 and 26-28 intersected sulphide-specularite supported mineralization. Assays pending.




Hole 26-27 at 427 and 450m



Hole 26-28 at 520m

Dios Padre Silver Mine Drill Holes - High Grade over Good Width

Previous drilling at the historic Dios Padre silver mine has intercepted multiple zones of wide, high grade silver mineralization.



Previous Intercepts include:

- Hole FMR 12-06 with 32.5 meters of 408 g/t silver (with 1.9 meters of 3220 g/t silver)
- Hole FMR 15-06 with 28.8 meters of 467.8 g/t silver
- Hole RDP 18-12 with 12.4 meters of 558 g/t silver
- Hole FMR 17-06 with 5.2 meters of 1145 g/t silver

Capitalization Table and Stock Chart



Current Issued and Outstanding Common Shares	138,026,099
Incentive Stock Options	13,800,000
Share Purchase Warrants	65,207,125
Broker Warrants	6,349,227
Fully Diluted Share Capital	223,382,451



500 m from Drill Pad REG 22-01 to
Historic Dios Padre Mine



Contact:

Bruce Bragagnolo
CEO & Director

Bruce@Regency-silver.com

(604) 417-9517